

- Kashwitna-Kichatna complex, undulating and steep
- Kichatna-Pioneer Peak-Jacobsen complex, 0 to 15 percent slopes
- Matsu silt loam, 0 to 3 percent slopes
- Matsu silt loam, 3 to 7 percent slopes
- Moose River-Niklason complex, frequently flooded, 0 to 3 percent slopes Moose River-Niklason complex, occasionally flooded, 0 to 3 percent slopes
- Nakochna-Rock outcrop association, 20 to 85 percent slopes
- Pioneer Peak silt loam, 0 to 3 percent slopes
- Pioneer Peak silt loam, 3 to 7 percent slopes
- Pioneer Peak-Jacobsen-Doroshin complex, 12 to 20 percent slopes
- Salamatof peat, 0 to 3 percent slopes
- Smithfha loamy very fine sand, 0 to 3 percent slopes
- Smithfha loamy very fine sand, 3 to 7 percent slopes

 - Smithfha loamy very fine sand, 30 to 45 percent slopes
- Smithfha loamy very fine sand, undulating and steep
- Smithfha-Anchorpark complex, undulating and hilly

149°57'0"W

Talkeetna-Chugach-Deneka complex, 12 to 20 percent slopes Talkeetna-Chugach-Deneka complex, 20 to 45 percent slopes Talkeetna-Chugach-Deneka complex, 45 to 85 percent slopes Talkeetna-Chugach-Deneka complex, undulating and hilly

149°55'30"W



149°54'0"W

Talkeetna-Chugach-Histic Cryaquepts association, 10 to 70 percent slopes

- Talkeetna-Chugach-Histic Cryaquepts association, cool, 10 to 70 percent slopes
- Talkeetna-Deneka-Rock outcrop complex, 30 to 85 percent slopes
- Typic Cryaquent and Typic Cryaquept soils, 0 to 2 percent slopes

149°51'0"W

149°52'30"W

